





#### **King Street Properties**

King Street Properties is a private real estate investment firm focused on servicing the complex needs of companies and institutions. Our experienced professionals combine big-company experience with a hands-on entrepreneurial approach to deliver advanced space solutions for today's innovators.

3.0M SF 4.5M SF 7.5M SF Existing portfolio


Development pipeline

Total portfolio

28

Properties across Boston, NYC, California, & Research Triangle







#### Research Triangle 501 Durham 86 Beam 751 JAGUAR GENE THERAPY United Therapeutics 3 BD **Chapel Hill** \*\*KBI HUMACYTE" GRAIL (M) Biogen U NOVARTIS Raleigh-Durha<mark>m</mark> Airport (RDU) TAYSHA INVITAE 5 min drive Research Triangle Park 55 Cary

**#1** 

Largest Research Park in the U.S. (7,000 Acres)

#3

Fastest-Growing U.S. Metro 2019-2020

400

Daily Flights from RDU

#3


STEM Job Growth Index


Top 10

Best U.S. Cities for Foreign Businesses

**Top 10** 


Safest Cities in America











Phase 1

Phase 2



#### Q1 2024 Delivery

**168K SF** Total

Footprint 131K SF 2<sup>nd</sup> Floor 37K SF

Structural flexibility & capacity for additional 2<sup>nd</sup> floor

**40'** clear height max for high-bay space 1st Floor clear height **21'2"** 2nd Floor clear height **17'** 

48'x48' column spacing

10,000 Amp feed with two 5,000 Amp switchgear

**Pre-permitted** exterior utilities

Reinforced central roof mechanical area









1st Floor 131,000 SF

2<sup>nd</sup> Floor 37,000 SF





(1) 16'x18'



#### Q1 2024 Delivery

202K SF Total

Footprint 154K SF 2<sup>nd</sup> Floor 48K SF

**Structural flexibility & capacity** for additional 2<sup>nd</sup> floor

40' clear height max for high-bay space

48'x48' column spacing

12,000 Amp feed with three 4,000 Amp switchgear


**Pre-permitted** exterior utilities

Reinforced central roof mechanical area



1st Floor 154,000 SF

2<sup>nd</sup> Floor 48,000 SF



(1) 16'x18'



140K SF Total

**45K SF** Typical Floor **3** stories

Floor-to-Floor Heights

17' 1st floor 16' 2nd floor 16'6" 3rd floor

**LEED Silver** Certification

33'x44' column spacing


**5,000 Amp** feed

**Pre-permitted** exterior utilities


Town of Cary sewer & water









### 1st Floor 45,000 SF






# Building 3 R&D




## 2<sup>nd</sup> Floor 45,000 SF







# Building 3 R&D





## 3<sup>rd</sup> Floor 45,000 SF





# Building 3 R&D











# Why Pathway Triangle?

Wooded campus with outdoor amenities

Proximity to the airport

50% of campus currently under construction

Site utility infrastructure complete **Q1 2024** 

Utilities including power and natural gas complete **Q1 2024** 

**Centralized** loading docks

Large floor plates with 2 floors

**Prominent signage** opportunities

Multiple access points



#### **Beyond the Competition**

Purpose-built biomanufacturing space designed to save you time and money during build-out

#### **Designed for Deliveries**

- Loading Docks: six
   10' x 10' tailgate-height
   loading dock doors with
   hydraulic levelers
- Oversized Drive-In
   Door: one 16' x 18'
   oversized dock door
   at grade
- One 4,000 lb service/ passenger elevator to support 2nd floor

#### Purpose-Built to Accommodate Your Space Requirements

- Dimensions: 532' x 244'
  Footprint: 131,000 SF
  2nd Floor (Delivered): 37,000 SF
- Footings and columns sized to accommodate
   2nd floor over entirety of footprint
- Column Spacing: 48' x 48'
- Clear Height:40' clear high-bay
- 21'2" clear beneath2nd floor
- 17' clear at 2nd floor

#### **Critical Building Systems**

- Insulated precast concrete exterior wall with insulation (II-B)
- Footings and columns sized to accommodate future 2nd floor loads of 125 PSF LL
- Central roof mechanical area framed to accommodate 150 PSF LL

Building 1: 240' x 144' Building 2: 288' x 144' • 60-mil white TPO membrane roofing system with R30 insulation

